Wrapping light around a hair:

Using light at the nanoscale





Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

This talk is about:

- guiding light
- nanotechnology





Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

What is ‘nanotechnology’?

The fabrication of devices of nanometer size





Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

What is ‘nanotechnology’?

The fabrication of devices of nanometer size

1 m = one meter

one large step



Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

What is ‘nanotechnology’?

The fabrication of devices of nanometer size

1 mm = one millimeter

(one thousandth of a meter)

pin head



Eric Mazur

Harvard University

Museum of Science

Current Science & Technology

26 October 2007

What is ‘nanotechnology’?

The fabrication of devices of nanometer size

1 μm = one micrometer
(one millionth of a meter)

red blood cell



Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

What is ‘nanotechnology’?

The fabrication of devices of nanometer size

1 nm = one nanometer

(one billionth of a meter)

a virus



Eric Mazur

Harvard University

Museum of Science

Current Science & Technology

26 October 2007

Nanotechnology:

The fabrication of devices on the 1–100 nm scale

1 nm = one nanometer

(one billionth of a meter)

a virus



Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

Nanotechnology:

The fabrication of devices on the 1–100 nm scale

Guiding light:

Transporting a light signal through a structure that confines the light



Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

Guiding light:

Transporting a light signal through a structure that confines the light

Eric Mazur
Harvard University

Museum of Science
Current Science & Technology
26 October 2007

Guiding light:

Transporting a light signal through a structure that confines the light


LIBERATOR





Interface between water and air is a perfect one-way mirror!

Why?

Why?

Because light travels more slowly in water (or plastic, or glass) than in air

Why?

Because light travels more slowly in water (or plastic, or glass) than in air



Because light travels more slowly in water (or plastic, or glass) than in air



The more angled the incident ray, the stronger the bending





The more angled the incident ray, the stronger the bending





The shallower the incident ray, the stronger the bending





The shallower the incident ray, the stronger the bending





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





The shallower the incident ray, the stronger the bending

The amount of bending is the same in reverse





At the ‘critical angle’, the bent ray travels along the surface

The amount of bending is the same in reverse





Beyond critical angle: total internal reflection!

Seeing underwater





Beyond critical angle: total internal reflection!

Seeing underwater





Beyond critical angle: total internal reflection!

Seeing underwater





Beyond critical angle: total internal reflection!

Seeing underwater





Beyond critical angle: total internal reflection!

Seeing underwater





Beyond critical angle: total internal reflection!

Seeing underwater



Beyond critical angle: total internal reflection!

Seeing underwater





Use total internal reflection to guide light



Use total internal reflection to guide light



Use total internal reflection to guide light





Use total internal reflection to guide light





Optical fiber:

a ‘hose’ for light



Optical fiber:

a ‘hose’ for light

thickness: about 100 µm

Optical fiber:

a ‘hose’ for light



thickness: about 100 µm

too big for optical chips

no tight bending of light





fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!





fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!





fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!



fabricating nanowires:

as thin as 20 nm!

fabricating nanowires:

as thin as 20 nm!







they guide light!





they guide light!







they guide light!

but very differently…





they guide light!

but very differently...





they guide light!

but very differently…

…as a ‘rail’ for light!



they can bend light tightly



but very differently…

…as a ‘rail’ for light!



they can bend light tightly





Applications:

- ‘nanophotonics’
- sensors

Why is smaller better?





- faster

Why is smaller better?





- faster
- uses less resources

Why is smaller better?

- faster
- uses less resources
- dense integration

Why is smaller better?



- faster
- uses less resources
- dense integration
- new phenomena







- faster
- uses less resources
- dense integration
- new phenomena



Nanotechnology can be simple!

- faster
- uses less resources
- dense integration
- new phenomena



Nanotechnology can be simple!

More information:

http://mazur-www.harvard.edu